


Joerns **EASY CARE ELECTRIC LOW HEIGHT BED**

The new Joerns EasyCare® beds provide best in class quality and features for a variety of your resident care needs while meeting your facility's budgetary concerns.

The EasyCare adjustable low height bed has a proven grid-style sleep surface that provides security for resident positioning, air flow around the mattress system and easy to clean openings. The special Toroidal architecture engineering of the bed's steel frame is up to 30 times stronger than standard angle iron. The Easycare RAH features an UltraLock system as standard which allows the bed to be mobile at any height with an easy operating locking system. The Easycare RIL features an immobilizing leg system that keeps the bed stable on immobilized legs throughout all height ranges, but in the low height, it transfers to a caster system to allow the bed to be moved. Other features include ultra quiet DC motors, choice of side rail options and a 7" to 30" travel range. 500lb weight capacity.



Baseboard Wall
Bumper



Optional Footboard Control



SPECIFICATIONS

Over-all Length 85.5" for 80" deck and 82" for 76" deck

Over-all Width (Rails up) - 41"

Deck Height Low Position - 7"

Deck Height High Position - 30"

Deck Surface - 35" x 80" and 35" x 76"

Warranty - 4 yrs on electrical & mechanical, 15 yrs on frame

Item No.	Description	Pkg.
SPFECRIL80HR	Easycare RIL Bed, 80" Deck, Head Section Rails	Each
SPFECRAH80HR	Easycare RAH Bed, 80" Deck, Head Section Rails	Each
SPFECFBDCTRL	Footboard Control Option for Easycare Bed	Each

CONTACT REPRESENTATIVE WITH REQUIREMENTS TO OBTAIN FIRM QUOTE

Joerns

HOYER ADVANCE LIFT

The Hoyer Advance is compact, yet able to perform an outstanding range of transfers. Whether from the floor or onto a healthcare bed, the Advance copes with ease. The Advance's unique tapered leg design allows the lift to get even closer to the widest of obstacles. This is especially useful when encountering large chairs, bulky commodes, and wheelchairs. The tapered design also ensures that the resident feels safe and secure during the transfer. Comes standard with two batteries, charger and wall bracket.



Item No.	Description	Price	Pkg.
SPFHOY-ADVANCE	Hoyer Advance Electric Lift	\$2598.00	Each
SPFNA1051	Quick fit deluxe mesh sling, Small	\$349.00	Each
SPFNA1054	Quick fit deluxe mesh sling, Medium	\$349.00	Each
SPFNA1057	Quick fit deluxe mesh sling, Large	\$349.00	Each
SPFNA1059	Quick fit deluxe mesh sling, X-Large	\$349.00	Each

*Additional sling options are available

Contact your Sales Representative for details



Exceptionally Versatile

No-tools folding design allows for compact storage



Oversized Handle

The oversized handle provides a large surface area, from which the caregiver can maneuver the lift before use.



Design

The triangular fold design ensures two very important functions.
 (1) The lift stands unaided when being stored or transported.
 (2) The lift can be safely left with the knowledge that it will not become unstable while not in use.



Footpad

The push footpad has been designed to reduce the force needed to initiate movement when maneuvering the stationary lift in a forward direction.

Specification

	Imperial	Metric
Safe Working Load	341 lbs	155 kg
Maximum Overall Length	51.2"	1300 mm
Minimum Overall Length	49.2"	1250 mm
Maximum Overall Height	73.2"	1860 mm
Minimum Overall Height	53.5"	1360 mm
Spreader Bar Max. Height	66.5"	1690 mm
Spreader Bar Min. Height (usable)	15.4"	390 mm
Height at Maximum Reach	46.1"	1170 mm
Reach at Maximum Height	25.6"	650 mm
Reach at Minimum Height	13.8"	350 mm
Maximum Reach*	32.9"	835 mm
Turning Radius	55.9"	1420 mm
Legs Open - Internal Width	39.4"	1000 mm
Legs Closed - External Width	26.4"	670 mm
Overall Height of Legs	4.5"	115 mm
Ground Clearance	1.2"	30 mm
Front Twin Casters	3.0"	75 mm
Rear Braked Casters	4.0"	100 mm

* Reach = center of spreader bar to the front of the mast

Weights

	Imperial	Metric
Total	69.7 lbs	31.7 kg

Electrical Specifications

Battery – 24vDC rechargeable sealed lead acid type
 Battery capacity – 3.2A Ampere hours



HOYER PRESCENCE LIFT

The Hoyer Presence lift has been engineered and designed to handle almost any resident-handling task. Along with the Stature lift, the Presence can lift residents from the floor as well accommodate transfers to higher surfaces. The 500 lbs safe working load and greater spatial area make this lift a perfect fit for larger residents. Comes standard with two batteries, charger and one wall bracket.



Item No.	Description	Price	Pkg.
SPFH0Y-PRESCENCE	Prescence Lift	\$2598.00	Each
SPFH0Y-PRESCENCEWSC	Prescence Lift with digital scale	\$5898.00	Each
SPFNA1051	Quick fit deluxe mesh sling, Small	\$349.00	Each
SPFNA1054	Quick fit deluxe mesh sling, Medium	\$349.00	Each
SPFNA1057	Quick fit deluxe mesh sling, Large	\$349.00	Each
SPFNA1059	Quick fit deluxe mesh sling, X-Large	\$349.00	Each

Interchangeable Cradle Bars

Part of the restriction of using certain lifts are the slings that you can use on the product. The Presence however, gives you a choice of sling systems.



Powered Base

Operating the Presence is as simple as the push of a button. The base includes two electric actuators which allow the caregiver to open and close the legs without bending or twisting. Tapered leg design allows greater internal area without compromising overall product width.



Hand Pendant

Hand control pads to hold the pendant in place when not in use.



Foot Pad

Ergonomic foot pad to assist with initiating movement.



*Additional sling options are available

Contact your Sales Representative for details

Specification	Imperial	Metric
Safe Working Load	500 lbs	227 kgs
Maximum Overall Length	57.5"	1460 mm
Minimum Overall Length	55.1"	1400 mm
Maximum Overall Height	81.3"	2065 mm
Minimum Overall Height	57.5"	1460 mm
Spreader Bar Maximum Height	75.2"	1910 mm
Spreader Bar Minimum Height	16.9"	430 mm
Height at Maximum Reach	51.5"	1310 mm
Reach at Maximum Height	25.6"	650 mm
Reach at Minimum Height	15.7"	400 mm
Maximum Reach	36.6"	930 mm
Turning Radius	64.2"	1630 mm
Legs Open - Internal Width	40.1"	1020 mm
Legs Closed - External Width	26.4"	670 mm
Front Twin Casters	4.0"	100 mm
Rear Braked Casters	4.0"	100 mm
Overall Height of Legs	4.7"	120 mm
Weights	Imperial	Metric
Total	88 lbs	40 kg

Electrical Specifications

Battery – 24vDC rechargeable sealed lead acid type

Joerns

HOYER HSA400 TRANSFER LIFT



Safely and Actively Engages Patients in Transfers. An active transfer device for users who, although partially impaired, have some weight bearing ability, trunk strength, and the ability to participate in their transfers. It keeps the patient engaged and active in all of their transfers. Transport functions of all types are quick and require minimal caregiver assistance.

Item No.	Description	Price	Pkg.
SPFHSA400	HSA400 Lift	\$1499.00	Each

Padded Split Seat

Swings out for loading and unloading and then folds down to provide a secure and comfortable seat for transport.



Dual Kneepads

Provides cushion and support for residents' shins and knees. Made from and durable, the kneepads are easy to clean and tough enough to last long service cycles.



Small Base Footprint

Allows access to patients in tight quarters. Front legs taper inwards allowing the base to fit between the wheels of a standard wheelchair.



Specification


	Imperial	Metric
Safe Working Load	400 lbs	181.4 kg
Maximum Overall Length	31.1"	789.9 mm
Minimum Overall Length	31.1"	789.9 mm
Maximum Overall Height	43"	1092.2 mm
Minimum Overall Height	43"	1092.2 mm
Maximum Height to Seat	34"	863.6 mm
Minimum Height to Seat	26.4"	670.6 mm
Maximum Height to KneePad	19.7"	500.4 mm
Minimum Height to KneePad	9"	228.6 mm
Legs Front - External Width	16..2"	411.5 mm
Legs Front - Internal Width	13.3"	337.8 mm
Legs Rear - External Width	24.9"	632.5 mm
Legs Rear - Internal Width	22.6"	574 mm
Widest Point (between support handles)	20"	508 mm
Overall Height of Legs	4.4"	111.8 mm
Front Casters	3"	76.2 mm
Rear Braked Casters	4.4"	118.8 mm

Weights

	Imperial	Metric
Total	57 lbs	26 kg

PRIMA-GEL DELUXE MATTRESS

The Prima-Gel Deluxe Mattress combines the comfort and pressure reduction of foam therapeutic mattress with the pressure relief and temperature regulation of gel. In this unique process our therapeutic foam core mattress is covered with a 3/4" pillow top gel honeycomb topper in the torso and foot section of the mattress to deliver unparalleled comfort, temperature control and wound prevention. The gel topper distributes the pressure more evenly over these regions resulting in better pressure interfaces. The honeycomb design of the gel allows for better temperature control around the sensitive pressure areas of the body. The Prima-Gel Gel mattress has an incorporated high density foam perimeter to aid in transfers as well as to prevent bed entrapment. The special Recovery 5 Stretch cover provides fluid protection as well as a softer feel and stretch compared to regular nylon covered mattresses.



- 3/4" gel honeycomb comfort topper in torso and foot sections regulates temperature reducing perspiration and provides immersion for pressure reduction as well as increased comfort
- Dual density foam core with sloped heel zone to relieve pressure in sensitive foot region
- Firm perimeter border Allows for easier transfers and a firm supportive edge to meet all bed entrapment guidelines
- Recovery5 cover ensures the mattress is protected from fluid while still allowing maximum immersion with its stretch capabilities

SPECIFICATIONS


Overall Length - 80" Weight Capacity - 500lbs
Thickness - 6" Warranty - 5 Years

Item No.	Description	Price	Pkg.
SPFPRIMAGDX80	Prima-Gel Deluxe Mattress	\$989.00	Each

***Additional freight costs apply to mattress shipments**

PRIMA-GEL ELITE MATTRESS

The Prima-Gel Elite Mattress combines the comfort and pressure reduction of foam therapeutic mattress with the pressure relief and temperature regulation of gel. In the critical torso section of the Prima-Gel Elite mattress we incorporate a larger and deeper honeycomb gel design to provide maximum pressure relief and temperature control for Stage I-IV pressure ulcers. The sensitive heel section of the Prima-Gel Elite mattress is covered with a 3/4" pillow top gel honeycomb topper to deliver unparalleled comfort and wound prevention. The gel topper distributes the pressure more evenly over these regions resulting in better pressure interfaces. The honeycomb design of the gel allows for better temperature control around the sensitive pressure areas of the body. The Prima-Gel Gel mattress has an incorporated high density foam perimeter to aid in transfers as well as to prevent bed entrapment. The special Recovery 5 Stretch cover provides fluid protection as well as a softer feel and stretch compared to regular nylon covered mattresses.



- Full Torso Section large honeycomb gel pad for maximum pressure relief, comfort and temperature control in critical pressure area of the mattress
- 3/4" gel honeycomb comfort topper in foot section provides immersion for pressure reduction as well as increased comfort
- Dual density foam core with sloped heel zone to relieve pressure in sensitive foot region
- Firm perimeter border Allows for easier transfers and a firm supportive edge to meet all bed entrapment guidelines
- Recovery5 cover ensures the mattress is protected from fluid while still allowing maximum immersion with its stretch capabilities

SPECIFICATIONS

Overall Length - 80" Weight Capacity - 500lbs
Thickness - 6" Warranty - 5 Years

Item No.	Description	Price	Pkg.
SPFPRIMAGEL80	Prima-Gel Elite Mattress	\$1398.00	Each

***Additional freight costs apply to mattress shipments**

P.R.O. MATT® PLUS CONVERTIBLE FOAM THERAPY SURFACE

Mattress Features and Benefits

- Non-powered mattress replacement converts to alternating pressure therapy with addition of optional control unit
- Four-zone system (head, shoulder, torso and foot) inner air core reproduces the surface pressure profile of a therapeutic low air loss mattress
- P.R.O. Technology valve maintains optimal air pressures in each therapy zone for superior pressure redistribution regardless of patient weight and profile
- One-inch viscoelastic topper enhances pressure redistribution and patient comfort
- Surrounding firm perimeter provides stability during patient care & patient safety by eliminating gaps between frames and siderails
- Horizontal air tubes are superior to other manufacturers vertical tubes as they provide better pressure relief & do not kink if bed is latched
- Self-calibrating design needs no manual inflation
- Nylon therapy pad is standard, waterproof & is a low friction and low shear surface



Feature

SPF ES2 Control Unit

Dimensions	7.5" w x 12.25" h x 5.5" d
Comfort Settings	5
Cycle Times	5, 10, 15 Minutes
Modes of Operation	Three - Autofirm, alternating and therapy
Lockout	Yes

Clinical Indications

Pressure Redistribution: Stage I – IV Pressure Ulcers*; Rehabilitation; Burns; Neurology; Dermatology; Amputations
Pain Management: AIDS; Arthritis; Oncology

*In the non-powered mode, the P.R.O. Matt Plus is indicated for prevention through Stage II pressure ulcers. With the addition of an optional control unit and based on individual patient assessment, the P.R.O. Matt Plus may be used for the treatment of uncomplicated stage III or IV pressure ulcers.

Maximum Weight Capacity*: 500 lbs

Warranty: Mattress: Five-years, non-prorated; Cover: Two-year

Item No.	Description	Price	Pkg.
SPFPROMATT80	Promatt Plus Convertible Air Surface	\$1698.00	Each
SPFES2	ES2 Control Unit	\$989.00	Each

*Additional freight costs apply to mattress shipments

PREVAMATT® DELUXE FOAM THERAPAUTIC SUPPORT SURFACE

The PrevaMatt Deluxe features Visco Memory foam in the slope heel section and die cut high density foam in the torso and head sections. Incorporates a sloped heel section to redistribute pressure in the delicate heel and lower leg area. Firm perimeter foam provides added stability during resident transfer and helps resident safety by preventing entrapment between mattress and rails. Strategically located cuts in mattress base promotes easier flexing during bed frame articulation which reduces wear and tear on mattress/cover and prolongs mattress life. Easy to clean cover comes standard in a high performance optional four way stretch material. Available with optional built up side bolsters. Designed for moderate to high risk patients. All mattresses are flame and fire retardant.



SPECIFICATIONS

over-all length – 76”, 80” or 84”.....

Thickness - 6” (8” with Side Bolsters)..... weight capacity – 500lbs

Warranty – 7 Years on Core + 2 Years on cover

Item No.	Description	Price	Pkg.
SPFPREVADX76	Prevamatt Deluxe, 76”	\$379.00	Each
SPFPREVADX80	Prevamatt Deluxe, 80”	\$379.00	Each
SPFPREVADX76SB	Prevamatt Deluxe with Side Bolsters, 76”	\$419.00	Each
SPFPREVADX80SB	Prevamatt Deluxe with Side Bolsters, 80”	\$419.00	Each

*Additional freight costs apply to mattress shipments



CONTACT US

6200 Cantay Road
Mississauga, Ontario L5R 3Y9
ph: 1.866.559.5099
fx: 1.866.618.6095

EMAIL:

info@specialtyfurniture.ca
sales@specialtyfurniture.ca