

Basic Wheelchair Bid Work Sheet

HMEDA Member Name/Address: <i>BC MEDEQUIP HOME HEALTH CARE LTD. 2230 Springer Avenue, Burnaby, BC, V5B 3M7</i>
Contact Person: <i>ANDRE MONTAGANO</i>
Phone/e-mail: <i>604-888-8811 andre@bcmedequip.com</i>

Delivery and MDEL Information

<i>Our company is able to deliver and service proposed products within the following geographic boundaries: Areas included in the Vancouver Coastal Health and Fraser Health Authorities British Columbia Mainland/Southwest Development Region (2) Regional Districts included: Fraser Valley Greater Vancouver Squamish-Lillooet Sunshine Coast</i>
<i>Our company has a valid MDEL. Our licence number is: 5730</i>

New Basic Wheelchairs

Product Model Name – Option 1 <i>PRIDE STYLUS INCLUDING 2" THICK FOAM CUSHION WITH A FLUID RESISTANT COVER</i>
Specifications <i>STYLUS SPECIFICATIONS Seat Dimensions: 16 in. x 16 in., 16 in. x 18 in., 18 in x 16 in., 18 in. x 18 in., 20 in. x 16 in., 20 in. x 18 in. Back Height: 15-17 in., 17-19 in. Seat Upholstery: Adjustable tension Seat-to-Floor Height Caster Wheels: 5 in. (12.70 cm), 6 in. (15.24 cm), or 8 in. (20.32 cm) Axle Mount: 3-position Caster Fork: 4-position axle; short fork Maximum Safe Slope: 5° (8.7%) Weight Capacity: 250 lbs. (113.4 kg) Component Weight: Base: 33.5 lbs. (15 kg) without front riggings Armrests: Flip-back, desk-length; Height-adjustable, desk or full length Front Riggings: Swing-away footrests, Elevating leg rests Wheel Locks: Push-to-lock, adjustable; Pull-to-lock Frame Finish: Silver Vein Accessories (at additional cost): Anti-tip wheels; oxygen tank holder; wheel lock extension Static Stability Forward (Wheels Locked) 26° Static Stability Rearward (Wheels Locked) 17° (without oxygen tank and holder); 10.7° (with oxygen tank and holder) Wheel Lock Operational Force2 Left: 60N Right: 60N</i>
Comments re compliance with Basic Wheelchair Cheat Sheet <i>Complies with Basic Wheelchair definition, all features checked in the "Modified Basic Wheelchair" column are able to be installed on this chair at additional costs.</i>
Initial Product set-up charge/wheelchair: <i>No charge</i>
Product set-up charge for subsequent user adjustment: <i>\$78/hour</i>
Additional Optional Warranty (beyond 1 yr?) <i>Pride warrants this product, so far as the same is of its own</i>

manufacture, to be free of defects in material and workmanship, when used by the purchaser under normal conditions, for (1) year after purchase. The side frames and cross-frames are warranted for the life of the product to the original purchaser

Unit Price for Qty 5 -10 \$835.00 each	Unit Price for Qty 11 – 19 \$825.00 each	Unit Price for Qty 20 + \$820.00 each
---	---	--

Product Model Name – Option 2
INVACARE MyON WHEELCHAIR INCLUDING 2" THICK FOAM CUSHION WITH A FLUID RESISTANT COVER

Specifications
 ☒ *Unique cross brace design helps improve stability and make the chair easier to fold and un-fold.* ☒ *A four-point seat saddle helps improve the rigidity in the frame.* ☒ *Designed to ensure greater driving performance; a lightweight frame and high quality components make for easy rolling and manoeuvrability.* ☒ *Adaptable and modular frame accommodates progressive changes in user needs.*

*Overall Width Open 8" plus seat width, Seat Widths 15" - 20", Seat Depths 16" - 18"
 Front Seat to Floor Heights Rear Wheel Size Seat Slope 0°*, Front STF 20" 14",15",16",17" 22"
 14",15",16",17",18",19" 24" 15",16",17",18"19",20"(3° & 5° slope only) *Various combinations can be done. Seat Slope 3° and 5° also available.*

*90° Straight Swing In/Out, Elevating Legrest Straight Swing In/Out
 Arm Heights T Arm Adj.Hght Desk/Full, Flip Back Arm Fixed Hght Desk/Full, Flip Back Arm Adj. Hght Desk/Full, Removable Comfort Dartex, Removable Hemi Dartex
 Back Canes Back Cane Degree Back Cane Heights Fixed Canes, Adj. Height Canes, Adj. Angle Canes, Folding Back Canes
 Weight (lbs.) approx. 31
 Weight Capacity (lbs) 275*

Comments re compliance with Basic Wheelchair Cheat Sheet
Complies with Modified Basic Wheelchair definition. Fully width adjustable, has variable seat heights 14"-20" range, able to accept different types of backs, lap trays, and supports. Exceeds 250 weight capacity.

Initial Product set-up charge/wheelchair: No charge
 Product set-up charge for subsequent user adjustment: \$78/hour

Additional Optional Warranty (beyond 1 yr?) *Invacare warrants its product to be free from defects in materials and workmanship for a period of one year from the date of purchase when purchased new and unused from Invacare or an authorized provider. The side frames and cross members are under a limited lifetime warranty from the date of purchase when purchased new and unused from Invacare or an authorized provider for the original purchaser/user.*

Price for Qty 5 -10 \$1526.50	Price for Qty 11 – 19 \$1510.00	Price for Qty 20 + \$1500.00
----------------------------------	------------------------------------	---------------------------------

Product Model Name – Option 3
MOTION COMPOSITES MOVE WHEELCHAIR INCLUDING 2" THICK FOAM CUSHION WITH A FLUID RESISTANT COVER

<p>Specifications</p> <p><i>Frame Folding with aluminum crossbrace</i></p> <p><i>Material Aluminum alloy</i></p> <p><i>Weight 16 lbs. (7.25 kg) (w/o rear wheels & footrest)</i></p> <p><i>Weight capacity 250 lbs. (113 kg) Kit HD: 350 lbs. (159 kg)</i></p> <p><i>Dimensions Width 14" (35.6 cm) to 22" (55.9 cm) in even sizes Depth 16" (40.6 cm), 18" (45.7 cm), 20" (50.8 cm)</i></p> <p><i>Front seat-to-floor height 12 ½" (31.8 cm) to 20 ½" (52.1 cm)</i></p> <p><i>Rear seat-to-floor height 12 ¼" (31.1 cm) to 20" (50.8 cm)</i></p> <p><i>Upholstery Tension adjustable or bolt on Back height 16" (40.6 cm) or 20" (50.7 cm)</i></p> <p><i>Adjustable angle from 70° to 110° Footrest Swing out Camber 0° Centre of gravity from 1 1/4" (3.2 cm) to 2 1/4" (5.7 cm) + amputee axle plate option</i></p> <p><i>The Move's innovative frame design lets you achieve a super low 12 ½" (31.8 cm) front seat-to-floor height with a 4" caster on a standard frame. That's the same frame that can go up to 20 ½" (52 cm)!</i></p>		
<p>Comments re compliance with Basic Wheelchair Cheat Sheet</p> <p>Complies and meets all the criteria of the Modified Basic Wheelchair definition.</p> <p>MADE IN CANADA, Lowest seat to floor height and lightest chair on market for price point.</p>		
<p>Initial Product set-up charge/wheelchair: <i>no charge</i></p> <p>Product set-up charge for subsequent user adjustment: <i>\$78/hour</i></p>		
<p>Additional Optional Warranty (beyond 1 yr?)</p> <p><i>A. Frame – 5 years Motion Composites warrants the wheelchair frame and cross braces against defects in materials and workmanship for five (5) years from the date of purchase.</i></p> <p><i>B. Components – 1-year Motion Composites warrants all Motion Composites-made components against defects in materials and workmanship for two (2) years from the date of purchase, except for tires and tubes for front or rear wheels, upholstery (including cushions, seat slings, armrest upholstery) and push-handle grips.</i></p>		
<p>Price for Qty 5 -10</p> <p>\$1950.00</p>	<p>Price for Qty 11 – 19</p> <p>\$1900.00</p>	<p>Price for Qty 20 +</p> <p>\$1850.00</p>

Used Wheelchairs

<p>Product Model Name – Option 1</p> <p><i>**model and pricing available based on availability at the time of the request** pricing negotiable</i></p>		
<p>Specifications</p> <p><i>As needed</i></p>		
<p>Comments re compliance with Basic Wheelchair Cheat Sheet</p> <p><i>Will be in compliance with the Basic and/or Modified Basic Wheelchair</i></p>		
<p>Initial Product set-up charge/wheelchair: <i>no charge</i></p> <p>Product set-up charge for subsequent user adjustment: <i>n/a</i></p>		
<p>Additional Optional Warranty (beyond 1 yr?)</p> <p><i>30 day warranty available</i></p>		

Price for Qty 5 -10 **upon request**	Price for Qty 11 – 19 **upon request**	Price for Qty 20 + **upon request**
---	---	--

Product Model Name – Option 2 <i>**same as option 1</i>		
Specifications		
Comments re compliance with Basic Wheelchair Cheat Sheet		
	Price for Qty 11 – 19	Price for Qty 20 +

Product Model Name – Option 3 <i>**same as option 1</i>		
Specifications		
Comments re compliance with Basic Wheelchair Cheat Sheet		
Initial Product set-up charge/wheelchair:		
Product set-up charge for subsequent user adjustment:		
Additional Optional Warranty (beyond 1 yr?)		
Price for Qty 5 -10	Price for Qty 11 - 19	Price for Qty 20 +

Rental Wheelchairs

Product Model Name – Option 2 <i>INVACARE MyON WHEELCHAIR **must purchase 2" THICK FOAM CUSHION WITH A FLUID RESISTANT COVER</i>
Specifications <i>☐ Unique cross brace design helps improve stability and make the chair easier to fold and un-fold. ☐ A four-point seat saddle helps improve the rigidity in the frame.☐ Designed to ensure greater driving performance; a lightweight frame and high quality components make for easy rolling and manoeuvrability.☐ Adaptable and modular frame accommodates progressive changes in user needs.</i>
<i>Overall Width Open 8" plus seat width, Seat Widths 15" - 20", Seat Depths 16" - 18" Front Seat to Floor Heights Rear Wheel Size Seat Slope 0°, Front STF 20" 14",15",16",17" 22" 14",15",16",17",18",19" 24" 15",16",17",18"19",20"(3° & 5° slope only) *Various combinations can be done. Seat Slope 3°and 5° also available.</i>

<p>90° Straight Swing In/Out, Elevating Legrest Straight Swing In/Out Arm Heights T Arm Adj.Hght Desk/Full, Flip Back Arm Fixed Hght Desk/Full, Flip Back Arm Adj. Hght Desk/Full, Removable Comfort Dartex, Removable Hemi Dartex Back Canes Back Cane Degree Back Cane Heights Fixed Canes, Adj. Height Canes, Adj. Angle Canes, Folding Back Canes Weight (lbs.) approx. 31 Weight Capacity (lbs) 275</p>		
<p>Comments re compliance with Basic Wheelchair Cheat Sheet Complies with Modified Basic Wheelchair definition. Fully width adjustable, has variable seat heights 14"-20" range, able to accept different types of backs, lap trays, and supports. Exceeds 250 weight capacity.</p>		
<p>Initial Product set-up charge/wheelchair: no charge</p> <p>Product set-up charge for subsequent user adjustment: \$78/hour</p>		
<p>Additional Optional Warranty (beyond 1 yr?) **RENT TO OWN AVAILABLE – PORTION OF RENTAL CAN BE APPLIED TO THE PURCHASE OF THE RENTAL WHEELCHAIR**</p>		
<p>Price for Qty 5 -10 **starting at \$85.00/MONTHLY</p>	<p>Price for Qty 11 – 19 **starting at \$80.00/MONTHLY</p>	<p>Price for Qty 20 + **starting at \$75.00/MONTHLY</p>

<p>Product Model Name – Option 2 SUNRISE MEDICAL BREEZY 600 WHEELCHAIR **must purchase 2" THICK FOAM CUSHION WITH A FLUID RESISTANT COVER</p>		
<p>Specifications Weight 28 lbs. (12.7 kg) Adjustments 1" (25 mm) Vertical Axle- Adjustment, 2-Hole Fork Footrest Extension Adjustment, Adjustable Caster Housing, Backrest Adjustment Colors Blue, Silver Texture, Forest Green Frame Dimensions Seat Width - Std 14", 15", 16", 17", 18", 19", 20" Seat Depth 14", 15", 16", 17", 18" Backrest 16" - 19" Hangers 60o , 70o , 90o ELR,ALR Footplates Std - composite with heel loop Opt - 90o Flip up Ext. tubes - short, med., long Casters 5", 6", 8" Polyurethane & pneumatic 1 1/2" & 3/4" caster fork stem Axles/Axle Plate Std - Offset Fixed Opt - Quick-Release Anti-Tip Tubes Opt - Rear Anti-TipTubes Rear Wheels Type - mag Sizes - 20", 22", 24" Tires - Polyurethane Pneumatic Handrims Std - composite, aluminum Opt - plastic-coated Projections Handrims Opt - 8,12 vertical or oblique Wheel Locks Std - High push-to-lock, High pullto-lock, Opt - 6" (152 mm) extension handles, grade aids</p>		
<p>Comments re compliance with Basic Wheelchair Cheat Sheet Complies with Modified Basic Wheelchair definition</p>		
<p>Initial Product set-up charge/wheelchair: no charge</p> <p>Product set-up charge for subsequent user adjustment: \$78/hour</p>		
<p>Additional Optional Warranty (beyond 1 yr?) **RENT TO OWN AVAILABLE – PORTION OF RENTAL CAN BE APPLIED TO THE PURCHASE OF THE RENTAL</p>		

WHEELCHAIR**		
Price for Qty 5 -10 **starting at \$85.00/MONTHLY	Price for Qty 11 – 19 **starting at \$80.00/MONTHLY	Price for Qty 20 + **starting at \$75.00/MONTHLY

Product Model Name – Option 3
 MOTION COMPOSITES MOVE WHEELCHAIR ***must purchase 2" THICK FOAM CUSHION WITH A FLUID RESISTANT COVER*

Specifications
Frame Folding with aluminum crossbrace
Material Aluminum alloy
Weight 16 lbs. (7.25 kg) (w/o rear wheels & footrest)
Weight capacity 250 lbs. (113 kg) Kit HD: 350 lbs. (159 kg)
Dimensions Width 14" (35.6 cm) to 22" (55.9 cm) in even sizes Depth 16" (40.6 cm), 18" (45.7 cm), 20" (50.8 cm)
Front seat-to-floor height 12 ½" (31.8 cm) to 20 ½" (52.1 cm)
Rear seat-to-floor height 12 ¼" (31.1 cm) to 20" (50.8 cm)
Upholstery Tension adjustable or bolt on Back height 16" (40.6 cm) or 20" (50.7 cm)
Adjustable angle from 70° to 110° Footrest Swing out Camber 0° Centre of gravity from 1 1/4" (3.2 cm) to 2 1/4" (5.7 cm) + amputee axle plate option
The Move's innovative frame design lets you achieve a super low 12 ½" (31.8 cm) front seat-to-floor height with a 4" caster on a standard frame. That's the same frame that can go up to 20 ½" (52 cm)!

Comments re compliance with Basic Wheelchair Cheat Sheet
 Complies and meets all the criteria of the Modified Basic Wheelchair definition.
 MADE IN CANADA, Lowest seat to floor height and lightest chair on market for price point.

Initial Product set-up charge/wheelchair: no charge
 Product set-up charge for subsequent user adjustment: \$78/hour

Additional Optional Warranty (beyond 1 yr?)
****RENT TO OWN AVAILABLE – PORTION OF RENTAL CAN BE APPLIED TO THE PURCHASE OF THE RENTAL WHEELCHAIR****

Price for Qty 5 -10 **starting at \$85.00/MONTHLY	Price for Qty 11 – 19 **starting at \$80.00/MONTHLY	Price for Qty 20 + **starting at \$75.00/MONTHLY
---	---	--

Additional comments
Pricing is guaranteed for 1 year and to be reviewed annually. Pricing provided is a guide and further discounts and incentives may be available upon request of a specific wheelchair type and quantity. Feel free to contact us directly with any pricing inquiries or if any clarification is required. Also, we are able to provide wheelchair in-service to management regarding the specific benefits of each of the wheelchairs selected so that the facility can buy a product with confidence.
Basic maintenance required during the 1-year warranty period includes checking and adjusting casters, wheels, brakes, armrests and upholstery completed semi-annually.